



## Macro-elements

|                        |                       |                   |
|------------------------|-----------------------|-------------------|
| <b>Na</b><br>Sodium    | Norm<br>10000 - 11200 | <b>10289</b> mg/l |
| <b>Mg</b><br>Magnesium | Norm<br>1250 - 1450   | <b>1256</b> ppm   |
| <b>S</b><br>Sulphur    | Norm<br>850 - 950     | <b>845</b> mg/l   |
| <b>Ca</b><br>Calcium   | Norm<br>380 - 460     | <b>441</b> ppm    |
| <b>K</b><br>Potassium  | Norm<br>380 - 440     | <b>440</b> mg/l   |
| <b>Br</b><br>Bromine   | Norm<br>60 - 70       | <b>62</b> mg/l    |
| <b>Sr</b><br>Strontium | Norm<br>8 - 12        | <b>10</b> mg/l    |
| <b>B</b><br>Boron      | Norm<br>4.0 - 5.0     | <b>4.8</b> mg/l   |

## Micro-elements

|                         |                   |                 |
|-------------------------|-------------------|-----------------|
| <b>Li</b><br>Lithium    | Norm<br>160 - 200 | <b>141</b> µg/l |
| <b>I</b><br>Iodine      | Norm<br>50 - 80   | <b>100</b> µg/l |
| <b>Mo</b><br>Molybdenum | Norm<br>8 - 12    | <b>10</b> µg/l  |
| <b>Ni</b><br>Nickel     | Norm<br>3 - 5     | <b>3</b> µg/l   |
| <b>V</b><br>Vanadium    | Norm<br>0.5 - 3.0 | <b>0.0</b> µg/l |


Why should you choose our smart ICP-OES test?



User-friendly app



The whole process is covered



|                        |                    |                 |
|------------------------|--------------------|-----------------|
| <b>Mn</b><br>Manganese | Norm<br>0 - 3      | <b>0</b> µg/l   |
| <b>Zn</b><br>Zinc      | Norm<br>2 - 5      | <b>0</b> µg/l   |
| <b>Fe</b><br>Iron      | Norm<br>0.0 - 1.0  | <b>0.0</b> µg/l |
| <b>Co</b><br>Cobalt    | Norm<br>0.0 - 1.6  | <b>0.0</b> µg/l |
| <b>Cr</b><br>Chromium  | Norm<br>0.0 - 0.4  | <b>0.0</b> µg/l |
| <b>Ba</b><br>Barium    | Norm<br>5 - 20     | <b>8</b> µg/l   |
| <b>Be</b><br>Beryllium | Norm<br>0.0 - 0.1  | <b>0.0</b> µg/l |
| <b>Si</b><br>Silicon   | Norm<br>5 - 200    | <b>119</b> µg/l |
| <b>Pollutants</b>      |                    |                 |
| <b>Cu</b><br>Copper    | Norm<br>0.0 - 3.0  | <b>0.0</b> µg/l |
| <b>Al</b><br>Aluminum  | Norm<br>0.0 - 40.0 | <b>1.2</b> µg/l |
| <b>Sn</b><br>Tin       | Norm<br>0.0 - 0.1  | <b>0.0</b> µg/l |
| <b>Hg</b><br>Mercury   | Norm<br>0.0        | <b>0.0</b> µg/l |
| <b>Se</b><br>Selenium  | Norm<br>0.0        | <b>0.0</b> µg/l |
| <b>Cd</b><br>Cadmium   | Norm<br>0.0        | <b>0.0</b> µg/l |
| <b>Sb</b><br>Antimony  | Norm<br>0.0        | <b>0.0</b> µg/l |

|                          |                     |                  |
|--------------------------|---------------------|------------------|
| <b>As</b><br>Arsenic     | Norm<br>0.0         | <b>0.0</b> µg/l  |
| <b>Pb</b><br>Lead        | Norm<br>0.0         | <b>0.0</b> µg/l  |
| <b>Ti</b><br>Titanium    | Norm<br>0.0         | <b>0.0</b> µg/l  |
| <b>La</b><br>Lanthanum   | Norm<br>0.0         | <b>18.9</b> µg/l |
| <b>Sc</b><br>Scandium    | Norm<br>0.0         | <b>0.0</b> µg/l  |
| <b>W</b><br>Tungsten     | Norm<br>0.0         | <b>0.0</b> µg/l  |
| <b>Ga</b><br>Gallium     | Norm<br>0.0         | <b>0.0</b> µg/l  |
| <b>Bi</b><br>Bismuth     | Norm<br>0.0         | <b>0.0</b> µg/l  |
| <b>Te</b><br>Tellurium   | Norm<br>0.0         | <b>0.0</b> µg/l  |
| <b>In</b><br>Indium      | Norm<br>0.0         | <b>0.0</b> µg/l  |
| <b>Ag</b><br>Silver      | Norm<br>0.0         | <b>0.0</b> µg/l  |
| <b>Nutrients</b>         |                     |                  |
| <b>P</b><br>Phosphorus   | Norm<br>20 - 49     | <b>31</b> µg/l   |
| <b>PO4</b><br>Phosphates | Norm<br>0.06 - 0.15 | <b>0.10</b> mg/l |

| Daily dosage schedule     | Day 1                              | Day 2                              | Day 3                            | Day 4 |
|---------------------------|------------------------------------|------------------------------------|----------------------------------|-------|
| Reef Factory Lab Sulfur   | 450.00 ml <input type="checkbox"/> | 100.00 ml <input type="checkbox"/> |                                  |       |
| Reef Factory Lab Lithium  | 7.20 ml <input type="checkbox"/>   | 7.20 ml <input type="checkbox"/>   | 1.20 ml <input type="checkbox"/> |       |
| Reef Factory Lab Vanadium | 2.00 ml <input type="checkbox"/>   | 2.00 ml <input type="checkbox"/>   |                                  |       |
| Reef Factory Lab Zinc     | 3.00 ml <input type="checkbox"/>   | 3.00 ml <input type="checkbox"/>   |                                  |       |